PS

THE PREVENTIVE MAINTENANCE MONTHLY

HMMM... I'D BETTER CHECK THIS PS INDEX FOR THE LATEST WORD ON PM TIPS.
WATDAYAMEAN IS OL' FASHION MAINTENANCE NECESSARY... LISTEN BOY, WE'RE 378,000,000,000 MILES AWAY FROM OUR DIRECT SUPPORT.
U.S. ARMY
INDEX
ISSUES 134-139
(JAN-JUN 1964)

Your gear can stay **"GO"** only if **YOU** do your maintenance **RIGHT** and on time...

P.S

THE PREVENTIVE MAINTENANCE MONTHLY


THIS IS TH' "CP"... BACK HOME THEY ARE PULLING THEIR SUMMER CHANGE-OVER SO DON'T GRIPE!
WATDAYAMEAN IS OL' FASHION MAINTENANCE NECESSARY... LISTEN BOY, WE'RE 378,000,000,000 MILES AWAY FROM OUR DIRECT SUPPORT.
HMMM.. I'D BETTER CHECK THIS PS INDEX FOR THE LATEST WORD ON PM TIPS.

INDEX

Issues 134-139

(JAN.-JUN. 1964)

THE PREVENTIVE MAINTENANCE MONTHLY

INDEX NO. 9
to
ISSUES 134 - 139

(JANUARY - JUNE 1964)

An index to the preceding six issues of PS Magazine is published twice yearly by the Department of the Army for the information of organizational maintenance and supply personnel. Distribution is made through normal publication channels by the "Pin-Point" distribution method.

Within limits of availability, older issues may be obtained direct from PS Magazine, Fort Knox, Kentucky, 40121.

PS Magazine wants your ideas and contributions, and is glad to answer your questions. Names and addresses are kept in confidence. Just write to:



DISTRIBUTION:

In accordance with requirements for PS Magazine submitted on DA Form 12-4. One copy of this index is distributed for every three copies of PS Magazine required.

INDEX

TO

PS, THE PREVENTIVE MAINTENANCE MONTHLY

ISSUES 134 to 139 INCLUSIVE

	PS	Page
A		
AIRCRAFT ARMAMENT		
M6 Subsystem		
Disconnect solenoid wire to remove M60C	137	47
Right way to remove mount	135	28
XM1E1--Removing charger hoses	136	17
AIRCRAFT, ARMY		
Fixed Wing		
Observation Series		
O-1 (Bird Dog)		
Carburetor--Adjustment of throttle shaft	135	24
Engine--Part number of installed exhaust valves	134	46
Instrument light, Lamp	136	26
TO-1D (Bird Dog)		
Straight flap drive assy--Provision of	135	23
Utility Series		
U-6 (Beaver)		
Tail wheel spring--Repair by field maintenance	137	65
U-8 (Seminole)		
Corrosion--Guard against	137	48
U-8D (Seminole)		
Keep baggage compartment door open when working around engines	135	24
U-9 (Aero Commander)		
Tail stand--Use of	135	25
VTOL Aircraft		
OV-1 (Mohawk)		
Hot starts require write-ups	138	20
OV-1C (Mohawk)		
Engine--What's excessive oil consumption?	135	27

	PS	Page
AIRCRAFT, ARMY (Cont'd)		
Rotary Wing		
Helicopter Series		
UH-1 (Iroquois)		
Hot starts require write-ups	138	20
Main Rotor--Make puller to pull blade bolt	138	24
Tail rotor blades--Track	137	46
Transmission--Inspect filter	136	22
UH-1A (Iroquois)		
APU--Charge battery with	135	19
MWO 55-1520-211-34/24 misprint	138	65
Oil cooler screen--Shock mounted	134	48
OH-13 (Sioux)		
Rotor blades--Tape leading edges	137	44
Tail rotor drive shaft lock nuts--Special tool for tightening	136	24
OH-13E, G, H (Sioux)		
Engine--Removal of primer	135	22
OH-23C (Raven)		
Engine--Covers for exhaust pipes	135	20
Engine--Inspect mount	135	21
CH-34 (Choctaw)		
Engine--Proper pre-oiling procedure	134	38
J-2 Gyro directional control--Check dehydrator plug for moisture	136	26
CH-37 (Mojave)		
Engine--Guard against straw and other debris	134	44
Wrench--Make two-inch open end	134	37
CH-47 (Chinook)		
Hot starts require write-ups	138	20
AIRCRAFT, ARMY, GENERAL		
Air Drops--Rules governing weight and size	135	26
Ask support's help on avionics installations and removals	134	48
Beacon, Rotating--Drain holes change with fuselage position	138	25
Checklist reduction--"Operation Checkoff"	135	17
Clamps--Use proper pliers on spring-type	138	26
Decals--Need special permission to use	138	27
Direct Exchange--Use of	135	18
Engine		
Hot starts require write-ups	138	20
What's excessive oil consumption?	135	27
FOD in coffee cans	138	27
Forms		
DA Form 1352	135	65
DA Form 2410--Use for cannibalization	137	46

	PS	Page
AIRCRAFT, ARMY, GENERAL (Cont'd)		
Gasket display board	134	43
Grease--Make scraper to empty cans	137	50
Hardware		
Eye parts before installing	134	46
Use the right nuts	137	50
Helmet, APH-5--Don't yank on headset cord	135	23
Inspections--Definition of "Daily"	137	46
Maintenance Platform--Handles can be removed	138	65
MWO not complied with puts A/C on red dash status	134	42
Publications		
DA Form 2407--Use EIR part for equipment problems	138	27
ESC Rating--Use TM 55-series and TM 11-series aircraft pubs	138	27
TM numbering sequence	136	27
TM 38-750 over TM 1-320 in case of conflict	138	26
Rotor blades--Proper maintenance of	136	18
Safety Belts--Test on calendar basis	134	45
Spark Plugs--Clean all types	139	38
AVIONICS		
Ask support help on installations & removals	134	48

B

BALLISTIC COMPUTOR, M13		
Range correction and ammo indicator--double check for HEP T142E3	139	13
BATTERY		
Dry charged		
Stamp the service date, don't paint it on	138	16
Portable light flasher batteries	139	65
Signal		
BB-421/U--Charging and general PM	136	46
Vehicle--Correct water to add and "why"	138	16
BREATHING APPARATUS		
Compressed Air M15--Difference between Scott Model and Fluid Power Model	137	60

C

CABLE, 26-PAIR CX-4566		
Cable cautions	134	57
Store it properly	138	53

	PS	Page
CAMERAS		
PH-104 and KS-4		
Make sure carriage is clear	136	55
CANNIBALIZATION		
Repair parts	136	65
CANVAS		
Engineer Items--TB ENG 366	136	60
Rubber Products--(Boats, diving equip, etc)		
See TB ENG 366	136	60
CARGO, LOADING		
Chain, tie-down	138	18
CARRIER, PERSONNEL, ARMORED M113		
Cylinder block lug removed	135	15
Generator drive belt adjustment	134	6
Guide to TM changes	137	18
Shock absorber bearings	138	19
Spark plugs for break-in	134	4
Transmission oil filters	139	20
CARRIER, RECON; M114		
Fast idle adjustment	135	14
CARRIER, RECON M114 AND CARGO M116		
Proper way to turn off engine	135	16
COMBAT READINESS (See Also READINESS)		
CONTAINER, INSULATED FOOD		
(See FOOD CONTAINER, INSULATED)		

D

DAVY CROCKETT		
Put spotting gun seals on right	136	11
Reverse that lock pin	135	45
DECONTAMINATION		
Mounting, portable decon, M11	138	60
DISTRIBUTOR		
Authorized at organizational level	136	65
DRUM		
Lube--Care	139	62

E

ELECTRONIC EQUIPMENT		
Chassis--Report on DD Form 6 when received in damaged condition	134	58
ELEVATOR, NIKE		
Platform--Repair cracks	138	46
ENGINE, MILITARY STANDARD		
Carburetor, control assembly	138	62

F

FOOD CONTAINER, INSULATED
Care 134 59
FORMS, DA, DD, SF, ETC.
DA Form 10-233 superseded by DD Form 1150. . . . . 138 65
DA Form 12-33--Direct mail for rail, marine and amphibious 138 18
DA Form 14-110 . . . . . 139 60
DA Form 1352 . . . . . 135 65
DA Form 2028--How to fill out 138 59
DA Form 2062 . . . . . 134 28
DA Form 2407
EIR and warranty claim 138 64
Use to report M151, 1/4-Ton truck, body cracks . . . 137 24
DA Form 2408-3--Tire entries 134 27
DA Form 2527, Record of Demands 136 63

G

GAGE, INFLATOR (See TOOLS)
GASKET
Display board 134 43
GENERATOR, HOLLINGSWORTH, 3 KW
Model JHGW3B--Use proper electric cable 137 63
GENERATOR SET
PU-286 ( )/G--Positioning of fire extinguisher 137 62
PU-407--Switch, automatic 139 64
PU-408--Switch, automatic 139 64
PU-532 Charging procedures 139 50
GUN, MACHINE, 30 CAL
Shorten cotter pin on M37C 134 19
GUN, MACHINE, M60, 7.62-MM
MWO reduces breakage 135 37
GUN, MACHINE, 7.62-MM, M73
Be careful of the tabs 134 18
GUN, SELF-PROPELLED M42
Grill handles not needed 134 9
GUN, SELF-PROPELLED, 90MM, M56, (SCORPION) (SPAT)
Lubrication notes 139 27
Worn sprocket & sheared bolt "warning" 139 23
GUN, SELF-PROPELLED, 175-MM, M107
Air filter element--Correct FSN for 138 39
Elevation quadrant not accurate 139 17
Primary & Secondary filter assy and element FSN's . . . 139 18
Tools--5 additions to BIIL 139 16

	PS	Page
GUN, SELF-PROPELLED, M107, 185-MM		
Electric motor driven pump--New FSN	134	65
Gripper, hand crank	135	65
Hydraulic pump--How to care for	135	45
GUN, SELF-PROPELLED, 8", M110		
Tools--5 additions to BIIL	139	16

H

HANDSET		
Dowel use for retractile cords	138	49
H-183/U--Repair by replacement	136	65
HAWK		
Cathode Ray Tube--Replace when burn spot's in radar effective zone	138	40
Fire Control--Don't fake battery alinement	137	39
General		
No set time for overhauling major items	137	40
Launcher		
Doublecheck inside downstep switch housings	139	8
Get base plate in right position before emplacing	137	38
Handcranks--See that override mechanism's not stuck.	138	40
MWO waterproofs launcher controls	137	38
Remove all turret latches before raising boom support	134	25
Loader		
Check set screw in main lifting cable swivel hook	135	38
TM lists tool for removing, replacing tracks	137	39
Loader-Transporter		
Hoist beam adapter shackle--Use it on M18 hoist beam	138	41
Missile		
Don't remove cap from bracket that holds umbilical plug	134	22
Remove salt water spray from missile components.	135	40
Pallet--You can get plug for stud in missile anchoring assembly	134	23
Radar, AN/MPQ-33		
Coolant--Use OS45 coolant only	138	37
CW illuminator--Don't use transmitter antenna horn as hand hold	135	40
CW illuminator maggies are all alike	138	37
Radar, AN/MPQ-39		
Coolant--Don't ever use OS45	138	37

	PS	Page
HAWK (Cont'd)		
Radar, CW acq and illuminator		
Don't use power and data cables as steps	134	25
Radars, CW--Use right console tent	139	8
Trailer, M390--Brake cables need lubing	134	24
Trailer, M514--Brake cables prepacked with grease	134	24
Transmitter Set		
Don't fool around with signal comparator	137	39
HEATER, IMMERSION (See IMMERSION HEATER)		
HEATER, PERSONNEL		
Vehicle heater assembly FSN	136	42
HONEST JOHN		
Launcher M386		
Folding beam lock--Make sure it does	139	12
HOOD		
Stencil warning under hood	136	43
HOWITZER, 105MM		
Follow TM rules when travel-locking	134	16
HOWITZER, SELF-PROPELLED, M108, 105-MM (T195E1) AND HOWITZER, SELF-PROPELLED, M109, 155-MM (T196E1)		
Batteries--How to disconnect	139	19
Cooling fan caution	136	15
Cooling fans--danger to fingers	135	65
Elevation quadrant not accurate	139	17
Keep breechblock closed when parked	137	37
Testing warning light	136	38
HOWITZER, SELF-PROPELLED, M110, 8"		
Air filter element--correct FSN for	138	39
Electric motor driven pump--New FSN	134	65
Elevation quadrant not accurate	139	17
Gripper, Hand crank	135	65
Hydraulic pump--How to care for	135	45
Primary and Secondary filter assy and element FSN's	139	18

I

IMMERSION HEATER		
Add hangar backing plate	134	60
INSULATED FOOD CONTAINER		
(See FOOD CONTAINER, INSULATED)		

K

KITS--Save the instructions	135	6

	PS	Page
KITS, PROTECTIVE CLOSURE (COVERED WAGONS)		
Their application and use by the units	138	17

L

LACQUER (See PAINT)		
LITTLEJOHN		
Rocket		
Mating and blanketing on M572	138	47
LUBRICATION		
U-type lubrication order	135	65

M

MAINTENANCE		
Consolidated field maintenance	134	1
Medical Equipment	134	62
Rubber, Preservative coating	138	15
Six ingredients are needed	135	1
MAINTENANCE (See Also READINESS)		
MARINE		
Life Preserver--New FSN	138	64
MATERIALS HANDLING EQUIPMENT		
Forklifts--They need spark arrestors	136	58
MHE 169--Steering draglink change	136	59
6000-lb Rough Terrain		
Replacement fan belts	137	63
10,000-lb rough terrain--Installing hoses	136	57
METASCOPE--Light assembly	134	65
MODIFICATION WORK ORDER		
A/C goes on red dash status if not complied with	134	42
Assume rescinded if not in DA Pam 310-4	134	15
MOUNTING		
Truck, 1/4-Ton		
M38A1D--Doesn't get radio set	139	53
MULTIPLEXER SET		
AN/TCC-13--Remove V5 tube from MD-179		
when using set with AN/TCC-7	136	54

N

NIKE, GENERAL		
No set time for overhauling major items	137	40

	PS	Page
NIKE, GENERAL (Cont'd)		
Publications		
TM has good preventive maintenance scoop	137	42
NIKE, GENERAL (AJAX AND HERCULES)		
Batts--TB 9-1400-250-20/3 gives scoop on checking them	138	46
Vans and Trailers		
LO 9-2330-212-12 replaces LO 9-8224	138	44
NIKE HERCULES		
Boltwells--Look for cracks	138	46
Fault Locating Indicator--TM shows schematics for distribution box	137	65
Guidance Section Door--Keep it closed when hose is not connected	139	9
Hoisting Unit--Watch for rusty hook	139	10
Painting--TM tells what ones to use	139	10
XM 473 Truck--Brake handle's not lifting lever	137	42
Launcher		
Coat leveling blocks with varnish	137	41
MWO keeps cables from twisting	134	20
Protect power indicator light on pre-launcher signal simulator	136	9
Remind support unit to moisture proof distribution boxes	135	65
Take droop out of air cooling hose assembly	137	40
Use oil on trunnion pins	136	10
Missile		
Different size nuts work on bolt that attaches center fin to warhead section	134	20
Use lot number in serial number column on DA Form 2408-10	134	22
Missile Tracking Radar--Fuses for compressor and dehumidifier listed in TM's	136	11
Shipping Support Channel--Authorized "As Required"	138	44
Target Tracking Radar--Fuses for compressor and dehumidifier listed in TM's	136	11
Track Radars		
You don't lube waveguide shutters	134	21
Van, BC		
Fire prevention--Some good tips	138	45
Tube type 7410 replaces 6901	137	42
Van, RC		
Fire Prevention--Some good tips	138	45
Tube type 7410 replaces 6901	137	42
NIKE-HERCULES (IMPROVED)		
Radar, Target Ranging--Oscillator tube removal tool in TM	137	42

	PS	Page
O		
OEM		
Ground anchor, M62 Wrecker	134	14
OPERATIONS		
Your Recovery Muscles		
TF 55-2348, Motor vehicle driver	137	2
P		
PAINT		
Lacquer--General purpose	136	59
PAPER WIPERS		
FSN's	139	65
PARTS		
Cannibalization	136	65
PERISCOPE, M31		
Parallax--You can fix it yourself	139	15
PETROLEUM TANK-VEHICLE		
Fuel transporter operator's manual	137	27
Load only one fuel	136	44
PHOTOGRAPHIC EQUIPMENT		
LM-33(1) Flash unit--Cut off long screw	136	55
POINTS, IGNITION		
Order Kit--Don't swap from rebuilt distributor	139	21
POWER SUPPLY		
PU-107A/U--No TM	136	51
PU-407 and 408--Switch, automatic	139	64
PROTECTIVE CLOTHING		
Coveralls (fuel handlers)--Care	136	62
PROTECTIVE MASK		
M17		
Cleaning carrier	135	57
Use right inlet-valve cap	135	57
PROJECTOR SET		
AN/PFP-1		
AM-424 Amplifier cable	136	56
PUBLICATIONS		
Catalogs, DOD--Numbering	138	2
DA Cir 750-1 gives new ESC pubs	137	65
FM 20-22--Vehicle Recovery Operation	137	2
Know your traffic light pubs	136	1
Lubrication order, U-type	135	65
MWO's superseded or rescinded if not in DA PAM 310-4	134	15

	PS	Page
PUBLICATIONS (Cont'd)		
New TM's for 5-Ton, G744-series	138	10
Ordering--Pinpoint and formula	139	2
SB 700-20 (Army Adopted Items of Materiel)	136	65
Supply--AR 735-35, C4	138	65
TB 9-30--Standard cost, Ord end items	134	26
TB 9-2805-216-35/1--M113 APC engine replacement	135	15
10-Ton truck M123, M125 manuals	135	6
TM 5-725--Rigging	137	2
Wheeled vehicle drivers TM	139	21

R

	PS	Page
RADAR SET		
AN/FPS-36 ( )		
Twisting off Sig adjustment knob	139	53
AN/MPQ-4A--How to transport	136	50
AN/TPS-21		
PM on storage, handling, disassembly	135	46
AN/TPS-25		
FSN for chassis base	136	51
AN/TPS-33		
Connector for W2001 cable has built-in free play	135	51
Don't wrap cables around RL-211/TPS-33 reel too tight	135	49
Don't twist cables with rubber reinforcing sleeve	135	50
PM on storage, handling, disassembly	135	46
Tell it easy on cable connectors	135	49
RADIAC		
AN/PDR-39--Needle deflection pass BATT OK	137	55
RADIO RECEIVERS		
R-108 thru -110--Calibration	139	59
RADIO SET CONTROL GROUP		
AN/GRA-39--Introductory article	137	52
RADIO SETS		
AB-15/GR mast base installation	139	54
AN/GRC-9, AN/GRC-87, AN/VRC-34		
Poor reception	134	50
AN/GRC-19		
Fuse-Switch-Cable PM	139	56
AN/GRC-26D--Power cable position	137	56
AN/GRC-46--Identification of heaters	137	57
AN/PRC-6		
Adjustments, unauthorized	138	50
AN/PRC-8, 9, 10		
AM-598/U fuseholder tightening	138	55

	PS	Page
RADIO SETS (Cont'd)		
AN/PRC-25 series		
Dust caps for mount jacks	138	65
AN/TRC-24--Don't tip T-302 transmitter	134	54
AN/TRC 42 and 47--Handle components with care	139	58
AN/VRC-10--Davy Crockett Squad	139	53
AN/VRC-12 Series		
Connectors for CX-7867 cable	139	55
Dust caps for mount jacks	138	65
P-3301 plug of A3000 assy. has to be taped	136	53
AN/VRC-19 Series		
Check tube test readings	139	55
Turn power on before pressing press-to-talk switch	137	59
AN/VRC-47--Cable kit for installation in M38 and M38A1	139	65
RT-66, 67, 68		
Filament check	137	58
Adjustments, unauthorized	138	56
RAIL - MARINE - AMPHIBIOUS		
DA Form 12-33 for direct mail	138	18
READINESS	137	1
RECTIFIER POWER UNIT		
Flip switch by hand	134	52
REEL EQUIPMENT		
General PM on RL-172/G	134	56
REPAIR PARTS		
Cannibalization	136	65
RIFLE, M1, Cal 30		
Use of plastic cleaning rod	136	65
RIFLE, M14, 7.62-MM		
Let armorer "unfreeze" gas cylinder plug	137	43
RIFLE, AUTOMATIC, CAL 30, BROWNING		
Bipod--Tip support to misprint in TM	139	65
RIFLE, RECOILLESS, 106-MM		
Recoil Compensating Ring--Threads show after adjustment	139	11
RUBBER, PRESERVATION		
Coat with preservative	138	15

S

SERGEANT		
M504 Launching Station		
Join prime mover and launcher gently	138	42
Platforms must be locked for travel	138	42

	PS	Page
SCALE, GRAPHICAL FIRING		
105, 115 and 8 inch	136	16
SERGEANT		
Dry "O" Rings	135	42
SHELTERS		
TB SIG 354 gives dope	134	65
SIGHT, WEAPONS, INFRARED		
Four PM Tips	135	44
SMALL ARMS		
Bearing Surfaces--Cleaners you can and cannot use	139	11
Magazines--Keep 'em clean	138	38
SOLDERING GUN, TL 650/U		
Clean tip with wire brush	136	61
STENCIL		
Safety warning--Lock hood	136	43
SUPPLY		
DA Form 14-110--Ink entries	139	60
Due-outs, request in, count	134	26
Property Book entries--Current LIN's	139	61
Record all demand (DA Form 2527)	136	63
Records--H/R annex	134	28
TB 9-30--Cost of Ord end items	134	26
Tool control system	135	60
SWITCHBOARD		
SB-22/PT		
Don't use screwdriver to push wire through rubber gasket	135	54
Operator Do's and Don'ts	135	52
Remove batteries when not in use	135	55

T

TANK, GENERAL		
Don't use diesel fuel to clean vehicles	139	25
Reading the replenisher tape	136	12
Safety hazards for driver	137	26
TANK, PROTECTIVE CLOSURE KIT		
Application and use by the units	138	17
TANK, M41 Series		
Integral guides--Wear limits for	135	15
New gun shield cover	134	8
TANK, M48		
Cam for HEAT ammo	138	48
Dozer pump--New fix for	135	13
TANK, M48A3		
Cam for HEAT ammo	138	48

	PS	Page
TANK, M48A3 (Cont'd)		
How to wash	135	65
Lubing track support rollers	136	65
TANK, M60		
Engine oil drain	134	6
How to wash	135	65
Keep breechblock closed when parked	137	37
M85 machine gun solid chute	134	8
New blower motor	134	7
TANK, M60A1		
Brake operation	137	20
TANK, 120-MM GUN, M103		
Equilibrator--Exercise it weekly	139	14
TELEGRAPH TERMINAL		
AN/MSC-29--Use washers to let switches miss panel edges	138	54
TELEPHONE		
TA-1/PT		
Hole in switch covers	138	52
TELEPHONE TERMINAL		
AN/TCC-7--Remove V5 tube from MD-179, AN/TCC-13	136	54
TELETYPEWRITER		
TT-76( ) Needs 2 amp 250-volt fuse	134	52
TT-76/GGC--Release copy light plug	134	53
TENTS		
Run jumper ropes thru upright poles	134	64
Waterproofing--Not necessary for new tent	136	61
TERMINAL EQUIPMENT		
Store handset of AN/TCC-7	134	55
TEST SET, ELECTRON TUBE		
TV-7/U		
MWO 11-6625-274-35/1 application	138	58
Socket adapter FSN's	138	57
TEST SET, TRANSPONDER, TS-1334/URM-125		
Don't fool with helix antennas	136	49
TIRES		
Depth gage use for recap	137	64
Pressures for trailer M332	138	14
Record on DA Form 2408-3	134	27
TOOLS		
A control system	135	60
Hand		
Care and maintenance	135	58
Screwdrivers--Reed & Prince, and Phillips	137	61
Inflator Gage--Parts	136	64
Sets-Kits		
Armorer's	136	6

	PS	Page
TOOLS (Cont'd)		
Signal		
TK-90/G for Ni-Cad batteries	138	55
Update TK-100/G	138	52
Tire depth gage	137	64
TK-103/USD-1--Tool kit additions	139	65
TRACKED VEHICLE		
Check item 9 (preservative oil) on DD Form 1397	135	10
TRAILER		
Computer Station Van M324--Leveling jacks	139	23
Trailer coupling plug	136	45
TRAILER, CARGO 1-1/2 TON		
No more XM models	135	8
TRAILER, 3/4-TON, GENERAL		
Correct tire pressure	138	15
TRAILER, 1-1/2 TON, M104A1, M105A1, M105A2		
Reflectors--Don't put 'em on M105A1 & M105A2's	139	22
TRAILER 1-1/2-TON, M332		
Payload and tire pressures	138	14
TRUCK, 1/4-TON (G-758 SERIES)		
Service brake "Free Travel"	136	43
TRUCK, 1/4-TON M38		
Trailer light cable receptacle--How to position	135	8
TRUCK, 1/4-TON, M38 and M38A1		
Cable kit for AN/VRC-47 radio set	139	65
TRUCK, 1/4-TON, M38A1		
Trailer light cable receptacle--How to position.	135	8
Winch--Safe tie	139	26
TRUCK, 1/4-TON M151		
Ball Joint--Use calipers to check free play	138	14
Engine oil filter--How to change	138	13
Film--Driver tips to avoid accidents	137	65
Front wheel alinement specs	134	12
Latest TM-10	136	43
M60 MG--Mount for installing	135	11
Oil dipstick breakage	136	40
Oil Filter--Correct FSN	138	13
Weld up body cracks	137	24
Wheel bearing adjustment	134	65
TRUCK, 3/4-TON, G741 SERIES		
Winch--Safe tie	139	26
TRUCK, 3/4-TON, M37		
FSN for starter pedal button	139	22
New FSN for winch cable	136	40
TRUCK, 3/4-TON, M37B1		
FSN for starter pedal button	139	22
Tie Rod End Balls--Check for proper riveting	136	41

	PS	Page
TRUCK, COMMERCIAL		
Correct OD Paint	136	60
Windshield wipers (electrical)--Don't strong arm	135	9
TRUCK, GASOLINE TANK 2-1/2-TON G742, G749 SERIES		
Delivery pumps, side and bottom, FSN's	134	11
TRUCK, GENERAL		
Don't use diesel fuel to clean vehicles	139	25
Requirements for stencils on vehicles	139	28
Wheel Removal--Jack up axle driven by propeller shaft	138	8
TRUCK, GENERAL 2-1/2-TON		
Safety rods--How to weld to bumpers	138	11
TRUCK, TANK, 2-1/2 TON M49, M49C		
Load only one fuel	136	44
TRUCK, TANK 2-1/2-TON M217		
Load only one fuel	136	44
TRUCK TRACTOR, 2-1/2-TON, M221		
Markings	135	7
TRUCK, 2 1/2-TON, G742 SERIES		
Crossmember replacement	135	12
Horn--Only one way to remove button assembly	139	24
Radiator inlet hose--Correct FSN for	138	11
Winch--Safe tie	139	26
TRUCK, 2 1/2-TON, G749 SERIES		
Bumper--Purpose of holes	139	25
Transmission oil-level check	138	12
Winch--Safe tie	139	26
TRUCK, 2-1/2-TON, M35A1		
Clutch--How to care for	135	7
Engine cylinder head bolt torque	136	41
Series listing now G742	138	65
TRUCK, 5-TON, G744 SERIES		
Air brake reservoir tank--Drain them daily	138	8
Fender crack repairs	134	10
Horn--Only one way to remove button assembly	139	24
New TM's	138	10
Winch--Safe tie	139	26
TRUCK, TRACTOR, 5-TON, M52		
Engine--Keep side panels closed for cooling	138	10
TRUCK, WRECKER, 5-TON M62		
Ground anchor	134	14
OEM torch set	137	23
Recovery and Towing--TF 9-2218, M62 operation	137	2
TRUCK, WRECKER 5-TON, M543		
OEM torch set	137	23
TRUCK, 10-TON, GENERAL		
Winch--Safe tie	139	26
TRUCK, 10-TON, G792 SERIES		
Horn--Only one way to remove button assembly	139	24

	PS	Page
TRUCK, 10-TON, M123 AND M125		
Change 1 to TM 9-2320-206-12	135	6
Cross bow stock numbers	136	42
TUBES, ELECTRON		
New one for improved Hercules	138	65
Tubes OA2 and OB2 are radioactive	136	52

V

VEHICLES, GENERAL		
Manufacturer's warranty note	138	64
VEHICLE, TANK RECOVERY, M51		
Sprocket wear gage	134	9
VEHICLE TANK RECOVERY, M88		
Bilge pump receptacle	138	18
Lubing door hinges	136	37
Recovery hook up	137	2
Sprocket wear gage	134	9
VEHICLES, TACTICAL, GENERAL		
Fuel--Keep tanks full	135	2
Mounting, portable decon, M11	138	60
Removing wheel assembly	137	24
VESSELS		
Life Preserver--New FSN	138	64

W

WATER PURIFICATION UNIT		
Storage of Diatomite and Limestone	139	61
WATER STERILIZING BAG		
Care	139	64
WHEELED VEHICLE, GENERAL		
Check item 9 (preservative oil) on DD Form 1397	135	10
WINCH		
Safe tie for travel	139	26
WIND MEASURING SET		
AN/MMQ-1		
Correction on hydraulic oil	138	53
No base plate or nut	136	49
WIPER, PAPER (See PAPER WIPER)		

☆ U. S. GOVERNMENT PRINTING OFFICE : 1964 O - 740-391

Your gear can stay "GO" only if YOU do your maintenance RIGHT and on time...